Wetlands Bureau Decision Report

Decisions Taken 06/16/2003 to 06/20/2003

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

- I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 20 days of the Department's issuance of a decision. Requests for reconsideration should:
 - 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
 - 2) provide new evidence or information to support the requested action;
 - 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
 - 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.
- II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:
 - 1) be made by certified mail to Brian Fowler, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
 - 2) contain a detailed description of the land involved in the department's decision; and
 - 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

Decision Report For Actions Taken

06/16/2003 to 06/20/2003

2

MAJOR IMPACT PROJECT

2003-00222 LOUDON, TOWN OF

LOUDON Soucook River

Requested Action:

Dredge 31,500 square feet below the high water line of the Suucook River to restore Mill Pond, to reconstruct the existing dam and to replace an existing 55' retaining wall with a 49' retaining wall with attached 6' wide stairs. Dredge 350 square feet of emergent wetland to connect an existing 12" RCP culvert under NH Route 129 with Mill Pond and to reconstruct as a vegetated swale with two stone check dams to collect sediment.

06/23/2003

Conservation Commission/Staff Comments:

The Loudon Conservation Commission supported the application in their letter dated January 27, 2003.

APPROVE PERMIT:

Dredge 31,500 square feet below the high water line of the Suucook River to restore Mill Pond, to reconstruct the existing dam and to replace an existing 55' retaining wall with a 49' retaining wall with attached 6' wide stairs. Dredge 350 square feet of emergent wetland to connect an existing 12" RCP culvert under NH Route 129 with Mill Pond and to reconstruct as a vegetated swale with two stone check dams to collect sediment.

- 1. All work shall be in accordance with plans by The HL Turner Group dated April 29, 2003, as received by the Department on May 5, 2003 and retaining wall cross sections by The HL Turner Group dated May 21, 2003 as received by the department on May 23, 2003.
- 2. A preconstruction meeting to review permit conditions and the construction sequence shall be coordinated with the contractor, DES staff and the project interest holders. DES shall be notified 2 weeks in advance to coordinate attendance at this meeting.
- 3. The Loudon Conservation Commission, NH Fish and Game Department and DES shall be notified in writing of the intention to begin work at least 5 business days prior to the commencement of construction.
- 4. This permit is contingent upon review and coordination with the DES Watershed Management Bureau's Water Quality Planning Section.
- 5. This permit is contingent on approval by the DES Dam Safety Program.
- 6. Repair of dam shall maintain existing size, location and configuration.
- 7. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
- 8. Work shall be done during drawdown
- 9. Work shall be done during annual low flow conditions and during the months of July through September. No in-stream work shall occur after October 1 unless a waiver of this condition is issued by the DES Wetlands Bureau in consultation with the NH Department of Fish and Game.
- 10. There shall be no blasting of ledge.
- 11. The construction sequence as outlined in the plans shall be strictly adhered to unless a written request is received by DES and a waiver of this condition is issued by the DES Wetlands Bureau.
- 12. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
- 13. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 14. Work shall be conducted in a manner so as to minimize turbidity and sedimentation.
- 15. The applicant shall notify NHDES Wetlands Bureau in writing within twenty-four (24) hours of an erosion event resulting in sediment entering a wetland or surface water.
- 16. All in-stream work shall be conducted in a manner that minimizes the duration of construction in the watercourse. In-stream work shall not exceed five consecutive days in total unless specifically authorized in writing by the Wetlands Bureau.

- 17. Dewatering of work areas shall be discharged to an off site gravel pit in which the discharge shall be: a) located in uplands; b) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
- 18. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation during access road construction and areas cleared of vegetation to be revegetated within three days of the completion of this project.

- 19. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired prior to entering jurisdictional areas.
- 20. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
- 21. All refueling of equipment shall occur outside of jurisdiction.
- 22. Areas from which vegetation has been cleared to gain access to the site shall be replanted with like native species.
- 23. The retaining wall shall be constructed landward of the shoreline defined by the elevation of normal high water.
- 24. Stream banks shall be restored to a stable condition and shall be restored to the same as or better than pre-construction conditions.
- 25. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 26. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
- 27. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
- 28. Silt fencing must be removed once the area is stabilized.
- 29. Dredged material shall be placed out of any area that is within the jurisdiction of the DES Wetlands Bureau.
- 30. A post-construction report with plans documenting the status and elevations of the restored streambed and banks shall be submitted to the Wetlands Bureau within 90 days of the completion of construction
- 31. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

- 1. This is a Major Project per NH Administrative Rule Wt 303.02(c) projects that involve alteration of nontidal wetlands, nontidal surface waters, and banks adjacent to nontidal surface waters in excess of 20,000 square feet in the aggregate.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Rule Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Rule Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
- 5. DES Staff conducted a field inspection of the proposed project on April 14, 2003, and determined that impacts have been avoided and minimized by placement of the turbidity curtain, the relocation of aquatic life and fact that the majority of the work shall be done in the dry.
- 6. The public hearing is waived with the finding that the project impacts will not significantly impair the resources of this impoundment within the Soucook River.
- 7. This dredge is to restore a historical mill pond as it originally existed. Photographs from DES Dam Bureau from the 1930's illustrate that the area behind the dam was once a recreational swimming area.
- 8. This project is considered to be a restoration of the mill pond therefore no mitigation was requested.
- 9. NH Fish and Game Dept and the applicant have agreed that once the project has begun it shall be completed in it's entirety and shall not be phased over time.
- 10. NH Fish and Game Dept has commented on this project and requests that sedimentation be prevented from traveling downstream.
- 11. The dredge of the mill pond will not redirect the flows of the river downstream as the dam spill way elevation and location are not proposed to change.
- 12. This project will enhance the use of the mill pond for recreational purposes such as swimming and small water craft.
- 13. The Loudon Conservation Commission supports this project.

2003-00484 BEAUPRE, ANDRE & KAREN

DOVER Piscataqua River

Requested Action:

Construct a 6 ft. x 50 ft. permanent pier, supported by pilings, and 3 ft. x 50 ft. ramp leading to two 10 ft. x 30 ft. floats arranged in an L-shape, providing two slips on 237 feet of frontage along the Piscataqua River in Dover, and impact 460 square feet within the upland tidal buffer zone for the construction of a three-foot wide foot path and wood steps leading to the proposed dock.

Inspection Date: 04/18/2003 by Christina Altimari

APPROVE PERMIT:

Construct a 6 ft. x 50 ft. permanent pier, supported by pilings, and 3 ft. x 50 ft. ramp leading to two 10 ft. x 30 ft. floats arranged in an L-shape, providing two slips on 237 feet of frontage along the Piscataqua River in Dover, and impact 460 square feet within the upland tidal buffer zone for the construction of a three-foot wide foot path and wood steps leading to the proposed dock.

With Conditions:

- 1. All work shall be in accordance with plans by Millette, Sprague & Colwell, Inc. dated December 27, 2001, with revisions dated June 16, 2003, as received by the Department on June 19, 2003.
- 2. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.
- 3. Coastal staff shall be notified in writing prior to commencement of work and upon completion.
- 4. Construction of the footpath and stairs shall be in accordance with the Conservation Easement Deed which is held by the City of Dover Conservation Commission.
- 5. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B.
- 6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized.
- 7. This permit shall not be effective until recorded at the Registry of Deeds Office by the permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau prior to construction.
- 8. The decking of the dock shall have a minimum of 6 ft. clearance from the surface of the mud flat and shall have 3/4-inch spacing between the decking planks and the ramp shall have a minimum of 3 ft. clearance from the surface of the mud flat.
- 9. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
- 10. Work shall be done during low tide.
- 11. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
- 12. Work shall be conducted in a manner that avoids excessive discharges of sediments to fish spawning areas.

With Findings:

- 1. This is a major impact project per Administrative Rule Wt 303.02(a), projects in tidal waters.
- 2. Public hearing is waived based on DES staff field inspections on April 18, 2003 with the finding that the project impacts will not significantly impair the resources of this tidal river.
- 3. This dock is consistent with other tidal dock approvals in the seacoast region.
- 4. The construction of the stairs and footpath throught the Conservation Easement is in compliance with the Conservation Easement Deed Language, and presents the safest and most practicable alternative for accessing the dock over the steep incline.

-Send to Governor and Executive Council-

2003-00768 JONES, MICHAEL & ELIZABETH MOULTONBOROUGH Lake Winnipesaukee

Requested Action:

Permanently remove two existing 6 ft x 30 ft seasonal piers connected by a 2 ft 3 in x 24 ft seasonal walkway, and install two 6 ft x 2 ft concrete pads to anchor two 6 ft x 40 ft seasonal piers connected by a 6 ft x 12 ft seasonal walkway in a "U" configuration with an existing 4 ft wide stepped access on an average of 160 ft of frontage on Lake Winnipesaukee.

5

Conservation Commission/Staff Comments:

Con. Com. had no objection.

Loon Preservation Committee commented on loon nesting & brooding in the area: suggested limits on boating activity and construction during nesting and brooding period.

APPROVE PERMIT:

Permanently remove two existing 6 ft x 30 ft seasonal piers connected by a 2 ft 3 in x 24 ft seasonal walkway, and install two 6 ft x 2 ft concrete pads to anchor two 6 ft x 40 ft seasonal piers connected by a 6 ft x 12 ft seasonal walkway in a "U" configuration with an existing 4 ft wide stepped access on an average of 160 ft of frontage on Lake Winnipesaukee.

With Conditions:

- 1. All work shall be in accordance with plans by Folsom Design Group dated April 21, 2003, as received by the Department on April 28, 2003.
- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
- 3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 4. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
- 5. The Loon Preservation Committee shall be notified prior to construction as the impacts may disturb potential loon nesting and chick rearing areas.
- 6. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
- 7. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
- 8. Seasonal piers shall be removed for the non-boating season.
- 9. These shall be the only structures on this water frontage and all portions of the dock shall be at least 20 ft from the abutting property lines or the imaginary extension of those lines into the water.
- 10. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

- 1. This is a major impact project per Administrative Rule Wt 303.02(k), project has documented occurrences of state listed Endangered or Threaten species.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
- 5. DES Staff conducted a field inspection of the proposed project on May 30, 2003. Field inspection determined the project to be approvable with conditions.
- 6. The public hearing is waived with the finding that the project impacts will not significantly impair the resources of this lacustrine system.

2003-00880 RIVERS, ROGER & MARLENE

DOVER Bellamy River

Requested Action:

Construct a 4 ft. x 47 ft. permanent pier, supported by 6 pilings, and 3 ft. x 12 ft. ramp leading to a 6 ft. x 12 ft. float, providing 2

slips on 211 feet of frontage along the Bellamy River in Dover.

Inspection Date: 06/09/2003 by Christina Altimari

APPROVE PERMIT:

Construct a 4 ft. x 47 ft. permanent pier, supported by 6 pilings, and 3 ft. x 12 ft. ramp leading to a 6 ft. x 12 ft. float, providing 2 slips on 211 feet of frontage along the Bellamy River in Dover.

6

With Conditions:

- 1. All work shall be in accordance with plans by Ray Bardwell dated May 1, 2003, with revisions dated June 9, 2003, as received by the Department on June 11, 2003.
- 2. Any future work in jurisdiction as specified in RSA 482-A on this property will require a new application and approval by the Department of Environmental Services ("DES") Wetlands Bureau.
- 3. Coastal staff shall be notified in writing prior to commencement of work and upon completion.
- 4. This permit shall not be effective until recorded at the Registry of Deeds Office by the permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau prior to construction.
- 5. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain in until the area is stabilized.
- 6. The decking of the dock shall have a minimum of 6 ft. clearance from the surface of the mud flat and shall have 3/4-inch spacing between the decking planks and the ramp shall have a minimum of 3 ft. clearance from the surface of the mud flat.
- 7. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
- 8. Work shall be done during low tide.
- 9. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
- 10. Work shall be conducted in a manner that avoids excessive discharges of sediments to fish spawning areas.

With Findings:

- 1. This is a major impact project per Administrative Rule Wt 303.02(a), projects in tidal waters.
- 2. Public hearing is waived based on DES staff field inspection on June 9, 2003 with the finding that the project impacts will not significantly impair the resources of this tidal river.
- 3. The Pease Development Authority Division of Ports and Harbors has reviewed the plans and determined that the proposed dock does not impede navigation.
- 4. This dock is consistent with other tidal dock approvals in the seacoast region.

-Send to Governor and Executive Council-

MINOR IMPACT PROJECT

FARMINGTON, TOWN OF 2003-00582

FARMINGTON Unnamed Wetland

Requested Action:

Dredge and fill 10,900 square feet of palustrine forested wetlands as part of a plan for the Town of Farmington to cap an existing landfill adjacent to the Cocheco River.

APPROVE PERMIT:

Dredge and fill 10,900 square feet of palustrine forested wetlands as part of a plan for the Town of Farmington to cap an existing landfill adjacent to the Cocheco River.

With Conditions:

- 1. All work shall be in accordance with plans by GeoInsight, Inc. dated 2/5/03, as received by the Department on 4/3/03.
- 2. This permit is contingent on approval by the DES Waste Management Division.
- 3. This permit is contingent on approval by the DES Site Specific Program.
- 4. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
- 5. The applicant shall notify in writing NHDES Wetlands Bureau and the Farmington Conservation Commission of their intention to begin construction no less than five (5) business days prior to the commencement of construction.
- 6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, maintained during construction, and remain until the area is stabilized. Silt fencing must be removed once the area is stabilized.
- 7. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
- 8. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
- 9. Dredged material shall be placed out of any area that is within the jurisdiction of the DES Wetlands Bureau.
- 10. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 11. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
- 12. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
- 13. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).

With Findings:

- 1. The proposal is considered a Minor Project per Rule Wt 303.03 (h), as the impacts are less than 20,000 square feet.
- 2. Presently, the open landfill is a continuing risk to the health of animal and humans as well as the environmental threat of ground and surface water contamination.
- 3. The project is part of a landfill closure that is required by NHDES Waste Management Bureau.
- 4. The impacts associated with the landfill closure will help to protect the water quality within a large forested wetland community and ultimately the Cocheco River.

MINIMUM IMPACT PROJECT

BEHERRELL, BRIAN 2003-00281

ALTON Unnamed Stream

Requested Action:

Temporarily impact 30 sq ft of intermittent stream for the installation of a water line and force main to an effluent disposal system and well location in the development of a four unit housing complex on 2.0 acres.

Conservation Commission/Staff Comments:

The conservation commission questioned the wetland delineation for the proposed project.

APPROVE PERMIT:

Temporarily impact 30 sq ft of intermittent stream for the installation of a water line and force main to an effluent disposal system and well location in the development of a four unit housing complex on 2.0 acres.

With Conditions:

- 1. All work shall be in accordance with plans by Thomas Varney dated May 20, 2003, as received by the Department on May 27, 2003.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
- 4. Work shall be done under no flow conditions.
- 5. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
- 6. No fill shall be done to achieve septic setback and no dredging shall take place that would contradict the DES Subsurface Systems Bureau rules.
- 7. No fill shall be done for lot development.
- 8. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 9. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
- 10. Area shall be regraded to original contours following completion of work.
- 11. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 12. A post-construction report documenting the status of the completed project with photographs shall be submitted to the Wetlands Bureau within 60 days of the completion of construction.

With Findings:

- 1. This is a Minimum Project per NH Administrative Rule Wt 303.04(n), projects that alter the course of or disturb less than 50 linear feet, measured along the thread of the channel, of an intermittent nontidal stream channel or its banks provided construction is performed during periods of non-flow.
- 2. The impacts associated with this permit application are all temporary.

2003-00335 MCSHEFFREY, JACK & MICHAELA

NEW LONDON Lake Sunapee

Requested Action:

Repair and replace an existing 12 ft 8 in x 22 ft 8 in boathouse connected to a 6 ft x 21 ft seasonal dock with a 5 ft 6 in x 10 ft seasonal boatlift, and install a 10 ft x 24 ft seasonal canopy over an existing slip on an average of 136 ft of frontage on Lake Sunapee.

Conservation Commission/Staff Comments:

Revised to only be a repair/replacement in kind, with a seasonal canopy added.

APPROVE PERMIT:

Repair and replace an existing 12 ft 8 in x 22 ft 8 in boathouse connected to a 6 ft x 21 ft seasonal dock with a 5 ft 6 in x 10 ft seasonal boatlift, and install a 10 ft x 24 ft seasonal canopy over an existing slip on an average of 136 ft of frontage on Lake Sunapee.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction dated January 3, 2003, revised June 1, 2003, as

received by the Department on June 13, 2003.

- 2. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
- 3. Appropriate siltation and erosion controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
- 4. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
- 5. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
- 6. Repair shall maintain existing size, location and configuration.
- 7. This permit to replace or repair existing structures shall not preclude the Department of Environmental Services from taking any enforcement action or revocation action if the Department of Environmental Services later determines that these "existing structures" were not previously permitted or grandfathered.
- 8. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
- 9. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
- 10. Seasonal piers shall be removed for the non-boating season.
- 11. Canopies shall be of flexible fabric and shall be removed for the non-boating season.
- 12. These shall be the only structures on this water frontage and all portions of the dock shall be at least 20 ft from the abutting property lines or the imaginary extension of those lines into the water.
- 13. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This project is classified as a minimum impact project per Rule Wt 303.04(v), repair of existing structures with no change in size, location or configuration.

2003-00856 KEENE, CITY OF

SWANZEY Unnamed Wetland

Requested Action:

Temporarily impact approximately 350 square feet of jurisdictional wetlands to install security fence and remove vegetation from approximately 3 acres of jurisdictional wetlands around the Dillant-Hopkins Airport ***********

Conservation Commission/Staff Comments:

Conservation Commission has no objections to the installation of a security fence, though has expressed concerns regarding the proposed obstruction clearing of 16 acres of vegetated growth.

APPROVE PERMIT:

Temporarily impact approximately 350 square feet of jurisdictional wetlands to install security fence and remove vegetation from approximately 3 acres of jurisdictional wetlands around the Dillant-Hopkins Airport

- 1. All work shall be in accordance with plans by Dufresne-Henry dated March 31, 2003, as received by the Department on May 2, 2003
- 2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
- 3. This permit is contingent on approval by the DES Site Specific Program for the proposed obstruction removal phase.
- 4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

5. Area shall be regraded to original contours following completion of work.

06/16/2003 to 06/20/2003

- 6. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 7. All clearing of vegetation in jurisdictional wetlands for proposed obstruction removal shall be conducted such that roots of the vegetation are not disturbed, and that the ground is not rutted or disturbed by machinery.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Wt 303.04(f), alteration of less than 3,000 sq ft of jurisdictional wetlands.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. DES personnel contacted Dufresne-Henry on June 20, 2003, concerning the proposed obstruction removal of vegetation on 16 acres.
- 6. Approximately 3 acres of vegetation removal will be in jurisdictional wetlands. The FAA requires that all trees above 10 feet tall and saplings located within the penetration zone or obstruction area be removed. There will be no use of mechanized machinery for the removal and no damage to the root zone during the process. All attempts will be made to minimize the disturbance to the existing ground cover and shrub layer.

2003-01025 FELDER, MILLER B & YOLANDA J

SEABROOK Cains Brook

Requested Action:

Impact 2,750 square feet of previously developed upland tidal buffer zone for the removal of an existing mobile home and its concrete block foundation, and the construction of a single-family residence.

APPROVE PERMIT:

Impact 2,750 square feet of previously developed upland tidal buffer zone for the removal of an existing mobile home and its concrete block foundation, and the construction of a single-family residence.

With Conditions:

- 1. All work shall be in accordance with plans by Gerrit Consulting dated April 21, 2003, as received by the Department on May 28, 2003.
- 2. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.
- 3. Coastal staff shall be notified in writing prior to commencement of work and upon completion.
- 4. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
- 5. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B.
- 6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Wt 303.04(b), projects in previously developed upland areas within 100 feet of the highest observable tide line.
- 2. Per Wt 302.01, the need for the proposed impacts has been demonstrated by the applicant in order to improve the exising environmental conditions on the property.
- 3. Per Wt 302.03, the applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction and is an improvement to the existing conditions on the property.

- 4. The NH Natural Heritage Inventory (NHNHI) has record of two state threatened plant species within the project vicinity, Dwarf Glasswort (Salicornia bigeolvii) and Salt-Marsh Gerardia (Agalinis maritima). NHNHI also has record of one natural community of special concery, a Gulf of Maine saltmarsh.

5. DES review of this application finds that the NHNHI identified threatened species and the Gulf of Maine saltmarsh will not be impacted as a result of the project.

FORESTRY NOTIFICATION

2003-00976 S P FORESTS LLC, JOHN SUTTON

ODELL Unnamed Stream

COMPLETE NOTIFICATION: odell Tax Map 1620, Lot# 1

S P FORESTS LLC, JOHN SUTTON 2003-00977

ERVINGS LOCATIO Unnamed Stream

Requested Action:

Ervings Location Tax Map 1623, Lot# 1 ***********

2003-00978 SP FORESTS LLC, JOHN SUTTON

MILLSFIELD Unnamed Stream

COMPLETE NOTIFICATION: Millsfield Tax Map 1620, Lot# 2

2003-00979 S P FORESTS LLC, JOHN SUTTON

DUMMER Unnamed Stream

COMPLETE NOTIFICATION:

Dummer Tax Map R1, Lot# 1

2003-01027 SACHS, KENNETH R

NOTTINGHAM Unnamed Stream

COMPLETE NOTIFICATION:

Nottingham Tax Map 71, Lot# 150

2003-01108 KONOPKA, LARRY

PITTSFIELD Unnamed Stream

COMPLETE NOTIFICATION:

Pittsfield Tax Map 16, Lot# 3

2003-01113 **DAMM, FRANCES**

ERROL Unnamed Stream

COMPLETE NOTIFICATION:

Errol Tax Map R13, Lot# 22

2003-01115 LAMPRON, WALTER

LOUDON Unnamed Stream

COMPLETE NOTIFICATION:

Loudon Tax Map 23, Lot# 16

2003-01125 **GRANITE GORGE LLC**

ROXBURY Unnamed Stream

COMPLETE NOTIFICATION:

Roxbury Tax Map 1, Lot# 9

2003-01126 MEADOWSEND TIMBERLANDS LTD

NORTHFIELD Unnamed Stream

COMPLETE NOTIFICATION:

Northfield Tax Map 12, Lot# 10

2003-01128 LEDOUX, DARREN

CANTERBURY Unnamed Stream

COMPLETE NOTIFICATION:

Canterbury Tax Map 10, Lot# 006.001

2003-01130 STATE OF NH DRED

ALLENSTOWN Unnamed Stream

COMPLETE NOTIFICATION:

Allenstown Tax Map 5, Lot# 38A-O

2003-01132 HENNIG, STEVEN

ORANGE Unnamed Stream

COMPLETE NOTIFICATION:

Orange Tax Map 3, Lot# 12

Decision Report For Actions Taken

06/16/2003 to 06/20/2003

13

06/23/2003

2003-01174 MEADOWSEND TIMBERLANDS LTD

PLAINFIELD Unnamed Stream

COMPLETE NOTIFICATION:

Plainfield Tax Map 211/12, Lot# 1/4950

2003-01218 SPNHF ROXBURY Unnamed Stream

COMPLETE NOTIFICATION:

Roxbury Tax Map 1, Lot# 123, 130, & 131

EXPEDITED MINIMUM

2003-00830 **JAFFREY, TOWN OF**

JAFFREY Unnamed Stream

Requested Action:

Temporarily impact 12 square feet of an intermittent stream to replace an 18 inch diameter culvert and install 4 linear feet of 8 inch utility pipe servicing a mobile home park.

Conservation Commission/Staff Comments:

The Jaffrey Conservation Commission signed this Minimum Impact Expedited Permit application.

APPROVE PERMIT:

Temporarily impact 12 square feet of an intermittent stream to replace an 18 inch diameter culvert and install 4 linear feet of 8 inch utility pipe servicing a mobile home park.

With Conditions:

- 1. All work shall be in accordance with plans by DuBois and King, Inc. dated January 2003, last revised June 6, 2003 by James J. Donison, P.E., as received by the Department on June 6, 2003, and the construction narrative by James J. Donison, P.E. dated June 4, 2003, as received by the Department on June 6, 2003.
- 2. Work shall be done during low flow.
- 3. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 4. Dredged material shall be placed out of any area that is within the jurisdiction of the DES Wetlands Bureau.
- 5. Proper headwalls shall be constructed within seven days of culvert installation.
- 6. Following completion of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be regraded to original contours, stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This is a minimum impact project per Administrative Rule Wt 303.04(i), temporary brook crossing for the installation of a utility pipe and Rule Wt 303.04(x), replacement of a culvert and its associated headwalls.

2003-00866 DEBLASIE, ANTHONY

SANBORNTON Unnamed Stream

Requested Action:

Amendment request to Dredge and fill 1080 square feet of intermittent stream and poorly drained forested wetlands to install two 15 inch x 20 foot culverts and associated fill for access to a single family building lot.

Conservation Commission/Staff Comments:

The conservation commission signed this minimum impact application.

Inspection Date: 06/16/2003 by Jocelyn S Degler

APPROVE AMENDMENT:

Dredge and fill 1080 square feet of intermittent stream and poorly drained forested wetlands to install two 15 inch x 20 foot culverts and associated fill for access to a single family building lot.

With Conditions:

- 1. All work shall be in accordance with plans and construction sequence by Anthony DeBlasie dated June 3, 2003, as received by the Department on June 4, 2003, and the location of culverts shall be in accordance with plans by Anthony DeBlasie dated June 13, 2003, as received by the Department on June 16, 2003.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. Work shall be done during low flow.
- 4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Silt fence must be removed once the area is stabilized.
- 5. Dredged material shall be placed out of any area that is within the jurisdiction of the DES Wetlands Bureau.
- 6. Proper headwalls shall be constructed within seven days of culvert installation.
- 7. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Wt 303.04(z), installation of culverts and associated fill for vehicular access to a single family building lot.
- 2. DES became aware of a greater area of impact from plans received by the Subsurface Bureau. This permit reflects the increase in impacts as illustrated on those plans.
- 3. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
- 4. DES Staff conducted a field inspection of the proposed project on June 16, 2003, and determined that impacts have been avoided and minimized by placement of the driveway upstream of the very poorly drained wider wetland.

2003-00927 HARTMAN, A. & D. & FRED CUNLIFFE

BENTON Oliverian Brook

Requested Action:

Install a temporary 18' wide x 28' long logging bridge over Oliverian Brook impacting 144 square feet within the bed and bank to allow access for forestry practices.

APPROVE PERMIT:

Install a temporary 18' wide x 28' long logging bridge over Oliverian Brook impacting 144 square feet within the bed and bank to allow access for forestry practices.

With Conditions:

- 1. All work shall be in accordance with plans by Tracey Camara, as received by the Department on 5/19/03.
- 2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

15

- 3. Work shall be done during low flow.
- 4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 5. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
- 6. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 7. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
- 8. Temporary bridge shall be entirely removed immediately after completion of the timber harvest.

With Findings:

1. The project is classified as a Minimum Impact Project per Rule Wt 303.04(h).

2003-00938 WENTWORTH, STEVEN

HAMPSTEAD Tributary To Wash Pond

Requested Action:

Dredge 23,000 square feet within an existing man-made pond to construct a fire pond and dry hydrant to service condominiums on an approved 10-lot subdivision.

APPROVE PERMIT:

Dredge 23,000 square feet within an existing man-made pond to construct a fire pond and dry hydrant to service condominiums on an approved 10-lot subdivision.

- 1. All work shall be done in accordance with plans by Gove Environmental Services, Inc. dated April 2003, as received by the Wetlands Bureau on May 20, 2003.
- 2. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
- 3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, maintained during construction, and remain until the area is stabilized. Silt fencing must be removed once the area is stabilized.
- 4. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
- 5. Dredged material shall be placed out of any area that is within the jurisdiction of the DES Wetlands Bureau.
- 6. Within three days of a temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 7. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).

With Findings:

1. The project is classified as a Minimum Impact Project per NH Administrative Rule Wt 303.04(k), as impacts are for maintenance dredging are within an existing man-made pond.

16

2. The project is necessary to construct a fire pond and dry hydrant for the existing condominium units that were approved on this property under permit #1998-1069.

2003-00973 CRICENTI'S MARKET, INC

NEW LONDON Detention Pond

Requested Action:

Maintenance dredge 6,200 square feet of a man-made detention basin to restore to original size

Conservation Commission/Staff Comments:

No USGS map. Computer map is not at a useable scale. Digitized from tax map.

Conservation Commission signed the Minimum expedited application

APPROVE PERMIT:

Maintenance dredge 6,200 square feet of a man-made detention basin to restore to original size

With Conditions:

- 1. All work shall be in accordance with plans by SFC Engineering Partnership Inc. dated June 6, 2002, as received by the Department on May 23, 2003.
- 2. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
- 3. Repairs to this structure may be conducted, as necessary, throughout the duration of this permit provided that the permittee notifies the Wetlands Bureau and Conservation Commission, in writing, of the proposed start and completion date prior to performing the repair.
- 4. Restoration of the detention basin shall be conducted in accordance with submitted plans and maintain existing size, location and configuration.
- 5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 6. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
- 7. Dredged material shall be placed out of any area that is within the jurisdiction of the DES Wetlands Bureau.

With Findings:

1. This project is classified as a minimum impact project per Rule Wt 303.04(v), repair of existing structures with no change in size, location or configuration.

2003-00991 DICK TRUST, HERBERT

LACONIA Lake Winnipesaukee

Requested Action:

Reset rocks on existing 90 linear ft stone jetty on an average of 105 ft of frontage on Lake Winnipesaukee.

Conservation Commission/Staff Comments:

Con. Com. signed application.

APPROVE PERMIT:

Reset rocks on existing 90 linear ft stone jetty on an average of 105 ft of frontage on Lake Winnipesaukee.

With Conditions:

1. All work shall be in accordance with plans by Winnipesaukee Marine Construction dated January 31, 2003, as received by the Department on May 27, 2003.

17

- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
- 3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 4. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
- 5. Existing rocks which have fallen shall be used for repair. No Additional Rocks.
- 6. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
- 7. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
- 8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
- 9. Repair shall maintain existing size, location and configuration.
- 10. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement action or revocation action if the DES later determines that these "existing structures" were not previously permitted or grandfathered.
- 11. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This project is classified as a minimum impact project per Rule Wt 303.04(v), repair of existing structures with no change in size, location or configuration.

2003-00992 CHANDLER, STEVEN

ALTON BAY Lake Winnipesaukee

Requested Action:

Redrive 2 pilings on an average of 206 ft of frontage on Alton Bay, Lake Winnipesaukee.

Conservation Commission/Staff Comments:

No USGS map. Digitized from trax map.

Con. Com. signed application.

APPROVE PERMIT:

Redrive 2 pilings on an average of 206 ft of frontage on Alton Bay, Lake Winnipesaukee.

- 1. All work shall be in accordance with plans by Steven W. Chandler, as received by the Department on May 27, 2003.
- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
- 3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 4. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new

06/23/2003

application and further permitting by the Bureau.

5. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.

18

- 6. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
- 7. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
- 8. Repair shall maintain existing size, location and configuration.
- 9. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement action or revocation action if the DES later determines that these "existing structures" were not previously permitted or grandfathered.
- 10. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This project is classified as a minimum impact project per Rule Wt 303.04(v), repair of existing structures with no change in size, location or configuration.

2003-01007 FITE, FRANK

GILFORD Lake Winnipesaukee

Requested Action:

Install a 10 ft 5 in x 12 ft 5 in seasonal boatlift in the existing center slip on an average of 150 ft of frontage on Governor's Island, Lake Winnipesaukee.

Conservation Commission/Staff Comments:

Con. Com. signed application.

APPROVE PERMIT:

Install a 10 ft 5 in x 12 ft 5 in seasonal boatlift in the existing center slip on an average of 150 ft of frontage on Governor's Island, Lake Winnipesaukee.

- 1. All work shall be in accordance with plans by Frank Fite, as received by the Department on May 29, 2003.
- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
- 3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 4. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
- 5. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
- 6. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
- 7. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
- 8. Seasonal boatlifts shall be removed from the lake for the non-boating season.
- 9. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement action or revocation action if the DES later determines that these "existing structures" were not previously permitted or grandfathered.
- 10. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

- 1. This is a minimum impact project per Administrative Rule Wt 303.04(a), modification of an existing dock with the installation of a seasonal boatlift.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2003-01051 STATE OF NH DOT, BUREAU OF RAIL & TRANSIT

06/16/2003 to 06/20/2003

LACONIA Lake Winnipesaukee

Requested Action:

Install a 6 ft x 40 ft seasonal dock hinged to a boulder on the shoreline accessed by 4 ft wide stairs over the bank on an average of 75 ft of frontage on Lake Winnipesaukee.

Conservation Commission/Staff Comments:

Con. Com. signed application.

Not owner in fee. NH DOT owes frontage. However, with minimums, do not need to be owner in fee.

APPROVE PERMIT:

Install a 6 ft x 40 ft seasonal dock hinged to a boulder on the shoreline accessed by 4 ft wide stairs over the bank on an average of 75 ft of frontage on Lake Winnipesaukee.

With Conditions:

- 1. All work shall be in accordance with plans by Folsom Design Group dated May 9, 2003, as received by the Department on May 30, 2003.
- 2. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 3. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
- 4. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
- 5. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
- 6. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
- 7. Seasonal piers shall be removed for the non-boating season.
- 8. These shall be the only structures on this water frontage and all portions of the dock shall be at least 20 ft. from the abutting property lines or the imaginary extension of those lines into the water.
- 9. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

- 1. This is a minimum impact project per Administrative Rule Wt 303.04(a), installation of a 2-slip seasonal pier.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. This project does qualify as a notification pursuant to RSA 482-A.
- 6. The applicant is the leasee of the property in question, and as a minimum impact project, does not need to be the owner in fee.

2003-01057 FRUCCI, RICHARD MIRROR LAKE Lake Winnipesaukee

Requested Action:

Redrive one tie-off piling of an existing 6 ft x 30 ft piling pier on an average of 225 ft of frontage on Tuftonboro Neck, Lake Winnipesaukee.

Conservation Commission/Staff Comments:

Con. Com. signed application.

APPROVE PERMIT:

Redrive one tie-off piling of an existing 6 ft x 30 ft piling pier on an average of 225 ft of frontage on Tuftonboro Neck, Lake Winnipesaukee.

With Conditions:

- 1. All work shall be in accordance with plans by Richard Frucci, as received by the Department on June 2, 2003.
- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
- 3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 4. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
- 5. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
- 6. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
- 7. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
- 8. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement action or revocation action if the DES later determines that these "existing structures" were not previously permitted or grandfathered.
- 9. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This project is classified as a minimum impact project per Rule Wt 303.04(v), repair of existing structures with no change in size, location or configuration.

2003-01058 SHEPARD, SCOTT

BARRINGTON Swains Lake

Requested Action:

Replenish an existing 14 ft x 16 ft perched beach with 10 cu yds of sand on an average of 130 ft of frontage on Swains Lake, Barrington.

Conservation Commission/Staff Comments:

Con. Com. signed application.

APPROVE PERMIT:

Replenish an existing 14 ft x 16 ft perched beach with 10 cu yds of sand on an average of 130 ft of frontage on Swains Lake,

Barrington.

With Conditions:

1. All work shall be in accordance with plans by Scott & Margery Shepard, as received by the Department on June 2, 2003.

21

- 2. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 3. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
- 4. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
- 5. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
- 6. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
- 7. No more than 10 cu. yds. of sand may be used and all sand shall be located above the normal high water line.
- 8. This permit shall be used only once, and does not allow for annual beach replenishment.
- 9. The applicant shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
- 10. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement action or revocation action if the DES later determines that these "existing structures" were not previously permitted or grandfathered.
- 11. These shall be the only structures on this water frontage and all portions of the dock shall be at least 20 ft. from the abutting property lines or the imaginary extension of those lines into the water.
- 12. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This project is classified as a minimum impact project per Rule Wt 303.04(v), repair of existing structures with no change in size, location or configuration.

GOLD DREDGE

2003-01190 HEATH, DENNIS (ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments: cc: Bath ConCom

2003-01191 SANBORN, DAVID (ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments: cc: Bath ConCom

2003-01204 ROY, KRISTINA (ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:

cc: Bath ConCom

2003-01205 **HOGSETT, BILLY** (ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:

cc: Bath ConCom

Decision Report For Actions Taken

CONLEY, LARRY 2003-01206 (ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:

cc: Bath ConCom

2003-01207 ROY, CHADWICK (ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:

cc: Bath ConCom

SEASONAL DOCK NOTIFICATIO

2003-00874 WIRTH, MATTHEW GILMANTON IRON WORKS Crystal Lake

COMPLETE NOTIFICATION:

Gilmanton Iron Works Tax Map 39, Lot# 5.5 Crystal Lake

2003-01180 PETERNEL, WAYNE

WOLFEBORO Crescent Lake

COMPLETE NOTIFICATION:

Wolfeboro Tax Map 218, Lot# 45 Crescent Lake

2003-01181 FICHERA, STEPHEN & DEBORAH

SALEM Canobie Lake

COMPLETE NOTIFICATION:

Salem Tax Map 70, Lot# 4488 Canobie Lake

WALSH, JEFFREY & PAM MARSCHER 2003-01182

NEW HAMPTON Winona Lake

COMPLETE NOTIFICATION:

Moultonboro Tax Map 13, Lot# 13 Winona Lake

2003-01184 SULLIVAN, WILLIAM & DIANNE

WAKEFIELD Balch Lake

COMPLETE NOTIFICATION:

Wakefield Tax Map 41, Lot# 52 Balch Lake

2003-01185 SHEGOG, TODD

MOULTONBOROUGH Lake Winnipesaukee

COMPLETE NOTIFICATION:

Moultonboro Tax Map 22, Lot# 66 Lake Winnipesaukee

2003-01201 **MAZZILLI, PETER**

ENFIELD Crystal Lake

COMPLETE NOTIFICATION:

Enfield Tax Map 48, Lot# 5 Crystal Lake

2003-01202 HALL ESTATE, DORIS

LACONIA Lake Winnisquam

COMPLETE NOTIFICATION:

Laconia Tax Map 396, Lot# 10 Lake Winnisquam

2003-01211 CARPENTER, KAREN

STRAFFORD Bow Lake

COMPLETE NOTIFICATION:

Strafford Tax Map 22, Lot# 9 Bow Lake

2003-01225 TODD, DAVID & NANCY

MEREDITH Lake Winnipesaukee

COMPLETE NOTIFICATION:

Meredith Tax Map 103, Lot# 28 Lake Winnipesdaukee

GABRIEL, DANIEL 2003-01226

BARRINGTON Ayers Alke

COMPLETE NOTIFICATION:

Barrington Tax Map 6, Lot# 72-19 Ayers Lake

06/16/2003 to 06/20/2003

2003-01227 WILKS, ROBERT HILLSBOROUGH Emerald Lake

COMPLETE NOTIFICATION:

Hillsboro Tax Map 16, Lot# 285 Emerald Lake

ROADWAY MAINTENANCE NOTIF

2003-01178 **ELGIN, JANICE & TODD**

HOLDERNESS Squam Lake

COMPLETE NOTIFICATION:

Holderness Tax Map 235, Lot# 26 Squam Lake

2003-01228 DOT MAINTENANCE DISTRICT 6, RALPH SANDERS

SOMERSWORTH Unnamed Stream

DOT MAINTENANCE DISTRICT 2, DOUGLAS KING 2003-01230

DORCHESTER Unnamed Stream